



## Compression Therapy Guide

8-15 mmHg	15-20 mmHg	20-30 mmHg	30-40 mmHg	40+ mmHg
<ul style="list-style-type: none"> <li>■ Tired, aching legs</li> <li>■ Minor ankle, leg and foot swelling</li> </ul>	<ul style="list-style-type: none"> <li>■ Minor varicosities</li> <li>■ Minor varicosities during pregnancy</li> <li>■ Tired, aching legs</li> <li>■ Minor ankle, leg and foot swelling</li> <li>■ Post sclerotherapy</li> <li>■ Helps prevent DVT</li> </ul>	<ul style="list-style-type: none"> <li>■ Moderate to severe varicosities</li> <li>■ Post surgical</li> <li>■ Moderate edema</li> <li>■ Post sclerotherapy</li> <li>■ Helps prevent recurrence of venous ulcerations</li> <li>■ Moderate to severe varicosities during pregnancy</li> <li>■ Superficial thrombophlebitis</li> <li>■ Helps prevent DVT</li> </ul>	<ul style="list-style-type: none"> <li>■ Severe varicosities</li> <li>■ Severe edema</li> <li>■ Lymphatic edema</li> <li>■ Management of active venous ulcerations</li> <li>■ Helps prevent recurrence of venous ulcerations</li> <li>■ Manage manifestations of PTS</li> <li>■ Helps prevent post-thrombotic syndrome</li> <li>■ Orthostatic hypotension</li> <li>■ Post Surgical</li> <li>■ Post Sclerotherapy</li> <li>■ Helps prevent DVT</li> <li>■ Chronic venous insufficiency</li> </ul>	<ul style="list-style-type: none"> <li>■ Severe varicosities</li> <li>■ Severe edema</li> <li>■ Lymphatic edema</li> <li>■ Management of active venous ulcerations</li> <li>■ Manage manifestations of PTS</li> <li>■ Orthostatic hypotension</li> <li>■ Postphlebotic syndrome</li> <li>■ Chronic venous insufficiency</li> </ul>
<b>NOT BILLABLE TO INSURANCE</b>		<b>MIGHT BE COVERED BY INSURANCE</b>		
<b>RX REQUIRED FOR ANY COMPRESSION PRODUCT TO BE COVERED BY INSURANCE</b>				